



THRON LINE SHOWER

TL5010/TL5011/TL5012/




TL5013/TL5014/TL5015/TL5016




1

polysan 



Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.net









① x1 	② x1 	③ x1 	④ x1 	⑤ x1 	⑥ x11
⑦ x10 ST4*40	⑧ x1 1918mm	⑨ x1 1988mm	⑩ x1 	⑪ x1 ST4*25	⑫ x1
⑬ x2 	⑭ x1 	⑮ x1 	⑯ x1 	⑰ x1 	⑱ x1
⑲ x1 	⑳ x4 ST4*13	㉑ x4 	㉒ x1 	㉓ x1 	




MODEL	A	B	C
TL5010	980-1010mm	458mm	396mm
TL5011	1080-1110mm	508mm	446mm
TL5012	1180-1210mm	558mm	496mm
TL5013	1280-1310mm	608mm	546mm
TL5014	1380-1410mm	658mm	596mm
TL5015	1480-1510mm	708mm	646mm
TL5016	1580-1610mm	808mm	646mm














5











OR
















inside























24HRS




THRON LINE SHOWER

TL3070/TL3080/TL3090/TL3010









MODEL	A	B	C
TL5010	980-1010mm	458mm	396mm
TL5011	1080-1110mm	508mm	446mm
TL5012	1180-1210mm	558mm	496mm
TL5013	1280-1310mm	608mm	546mm
TL5014	1380-1410mm	658mm	596mm
TL5015	1480-1510mm	708mm	646mm
TL5016	1580-1610mm	808mm	646mm







MODEL	D
TL3070	680-695mm
TL3080	780-795mm
TL3090	880-895mm
TL3010	980-995mm
















24HRS



18



Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.net

EN 14428

Glass shower enclosure
cleaning efficiency: conforming
impact resistance: conforming
operating life: conforming

Skleněné sprchové zástěny
schopnost čištění: vyhovuje
odolnost proti nárazu: vyhovuje
životnost: vyhovuje