


ZOOM

ZL2615R,ZL2616R
ZL2615BR








polysan 

Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
www.polysan.cz




silicone




X2

A




X1

B




X2

C




X1

D




X1

E




X1

F




X10

G




X1

H




X4

I



X2


J



ST4*30

X10


K



ST4*20


X2

L




X2

M



X1


N



R

X1


O



ST3*20


X1

P



X1


Q



ST4*20

X2


R




1,2,3mm


X4 X4 X4


S






	A	B	C
ZL2615	870~890mm	565mm	310mm
ZL2616	970~990mm	665mm	410mm




Kreslil	Kontroloval	Schválil	Datum	Datum	
vs					
			ZOOM LINE		
ZL26xx			Vydání	Lst	
				1 / 1	


1




2




3




4





5




6




7




8



9



10



CE

EN 14428

Glass shower enclosure
 cleaning efficiency: conforming
 impact resistance: conforming
 operating life: conforming

Polysan s.r.o.
 Nesměřice 52
 285 22 Zruč nad Sázavou
 Czech Republic
 www.polysan.cz

Skleněné sprchové zástěny
 schopnost čištění: vyhovuje
 odolnost proti nárazu: vyhovuje
 životnost: vyhovuje