



ROLLS

RL3215

RL3315

RL3415




polysan 


Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.cz




Ø8X40mm
3X




ST5X40mm
3X



ST4X20mm
1X



ST4X12mm
3X



3X



3X



1X



1X




2X




1X




1X









1X




1X




1



DIN 18534




Ø8mm



×3


Ø8×40




×3

ST5×40


2




1
2
3
4
5



2a




2b




2c




DIN 18534



Ø8mm




Ø8x40



ST5x40

3




500mm

B


B

B




3a


500mm



3e




3b




3f

Ø6x30
Ø6mm




1
2
3



3c


4-42

B




3g

ST4x20
ST4x20



4
5




3d




DIN 18534










4





5




6




7



8



9







Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.cz

EN 14428

Glass shower enclosure
cleaning efficiency: conforming
impact resistance: conforming
operating life: conforming

Skleněné sprchové zástěny
schopnost čištění: vyhovuje
odolnost proti nárazu: vyhovuje
životnost: vyhovuje



Model	D	E
RL3215	765-785	780-800
RL3315	865-885	880-900
RL3415	965-985	980-1000

Model	A	B	C
RL1115	1072-1102	425	~500
RL1215	1172-1202	475	~550
RL1315	1272-1302	525	~600
RL1415	1372-1402	575	~650
RL1515	1472-1502	625	~700
RL1615	1572-1602	675	~750

