



ROLLS

RL3215

RL3315


RL3415



polysan

Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.cz


- Ø8X40mm 3X
- ST5X40mm 3X
- ST4X20mm 1X
- ST4X12mm 3X








- 3X
- 3X
- 1X
- 1X

- 2X
- 1X
- 1X
- 1X

- 1X
- 2x
- 1*6*50mm
- 2*6*50mm
- 3*6*50mm





1



- 1
- 2
- 3
- 4
- 5




DIN 18534




1


2




3








4




5




6




7



8



9



5






Polysan s.r.o.
Nesměřice 52
285 22 Zruč nad Sázavou
Czech Republic
www.polysan.cz

EN 14428

Glass shower enclosure
cleaning efficiency: conforming
impact resistance: conforming
operating life: conforming

Skleněné sprchové zástěny
schopnost čištění: vyhovuje
odolnost proti nárazu: vyhovuje
životnost: vyhovuje



Model	D	E
RL3215	765-785	780-800
RL3315	865-885	880-900
RL3415	965-985	980-1000

Model	A	B	C
RL1115	1072-1102	425	~500
RL1215	1172-1202	475	~550
RL1315	1272-1302	525	~600
RL1415	1372-1402	575	~650
RL1515	1472-1502	625	~700
RL1615	1572-1602	675	~750

